

Ref: S&E/E-8B2/25

Date: 01.06.2025

The Director (S)
Ministry of Environment, Forest & Climate Change
Additional Office Block for GPOA, Ist Floor
Shastri Bhavan ,Haddows Road,
Nungambakkam,
Chennai – 600 034.

Sub: Half Yearly Compliance Status Report for Environmental Clearance M/S.SPIC Limited – Reg.

Ref: 1) Ministry's clearance Lr.No.J-11011/15/86/IA dated 28.07.87.

Dear Sir,

With reference to the above Environmental Clearances, we are herewith submitting the Compliance Status Report (Half yearly compliance report) for the period October 2024 to March 2025.

Thanking you,

Yours faithfully,

For "M/s Southern Petrochemical industries Corporation Limited"


E. Balu,

Whole Time Director

Enclosure:

1. Half Yearly Compliance Report
2. Half yearly monitoring report

CC: The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Tuticorin.

Southern Petrochemical Industries Corporation Limited

(CIN: L11101TN1969PLC005778)

Factory: SPIC Nagar, Muthiahpuram Post, Tuticorin 628 005 Tamilnadu, India

Phone : +91 (0461) 2355401 | Email: spiccorp@spic.co.in | www.spic.in

SOUTHERN PETROCHEMICALS INDUSTRIES CORPORATION LIMITED
SPIC NAGAR, TUTICORIN – 628 005

Sub: Environmental clearance for substantial expansion of Di-Ammonium Phosphate by retrofitting.

Ref: Ministry's clearance Lr.No.J-11011/15/86/iA dated 28.07.87.

Specific conditions:

S.NO	Specific conditions:	Compliance Status
1	A two stage fluoride removal system must be installed, to achieve fluoride concentration of 10 mg/l conform to the MINAS.	Two stage fluoride removal systems installed to recover fluorine in phosphoric acid plant and also to achieve fluoride concentration. We have achieved fluoride concentration of 10 mg/l to conform MINAS. Fluorine is recovered as Hydrofluoric silicic acid and reacted with aluminum hydroxide to produce aluminum fluoride. (Now the unit is with Greenstar Fertilizers limited)
2	Thermal urea hydrolyser stripper must be installed in case performance of the bio-hydrolyser system is not found satisfactory. Monthly report on the performance of the bio-hydrolyser should be made available to this Ministry and to the Central Pollution Control Board.	Effluent from urea is completely recycled and reused and because of that bio-hydrolyser treatment system has been removed since 2000.
3	LSHS must be used in heaters/boiler/CPP. No fuel oil may be used.	We have started receiving natural gas from Ramanathapuram area through IOCL on 13 th March 2021 and we are operating the plant with Natural Gas as Feed stock and Fuel in boiler and Heaters.
4	Existing lagoon outside the plant premises should not be used for effluent collection. The finally treated effluent should be discharged into the sea via guard ponds only.	Existing lagoon outside the plant premises is not used for effluent collection. The final treated effluent is reused in Greenstar plant for process. Occasionally it is discharged into the sea via guard pond.
5	Sludge disposal site must be made impervious to prevent ground water contamination.	The generated Chromium and arsenic sludge are encapsulated in lined pit as per CPCB guidelines in the year 2006. We have adopted alternate technology and because of this chromium and arsenic are not used in the process at present.

6	Three fixed ambient air quality-monitoring stations should be set up in consultation with Tamilnadu Pollution Control Board for continuous monitoring of SO ₂ , NH ₃ and SPM. Sensors should be provided to detect P ₂ O ₅ , SO ₂ and NH ₃ at vulnerable points within the battery limits of the plant.	<p>Ambient Air Quality Monitoring is being carried out by our Environment Monitoring Cell at 9 locations manually.</p> <p>In addition to this Continuous Ambient Air Quality Monitoring station is available, one each in SPIC and Greenstar Fertilizers Ltd. Parameters such as PM₁₀, PM_{2.5}, NO, Nox, NO₂, NH₃ and SO₂ are monitored.</p> <p>In addition to the above parameters HF is monitored in Greenstar Ambient Air Quality Monitoring station. The online data is connected to TNPCB. Sensors are provided to detect NH₃ at vulnerable points within the battery limits of the plant.</p>
7	The unit should install continuous waste water monitoring system for measuring the following parameters: Flow, pH, Fluorine, AN, TKN and Arsenic.	Online meter for monitoring effluent flow, pH, Ammonical nitrogen, TSS are installed as per CPCB Guidelines. Arsenic is not used in our process now.
8	Ground water should be monitored regularly for pH, TDS, Arsenic, Nitrate nitrogen and Fluoride.	Ground water quality is monitored at 19 locations by our Environment Monitoring Cell on monthly basis. All the stipulated parameters are monitored.
9	Treated waste water samples should also be from upstream (100m) and downstream (100m) of the confluence point in the open channel before final discharge into sea for measuring pH, Ammoniacal nitrogen, Phosphate as P, Fluoride, Arsenic, Oil and grease.	<p>The Treated effluent is fully recycled and reused in the Phosphatic Fertilizers plant of Greenstar fertilizers Ltd. Because of this the treated effluent is discharged only occasionally in to the sea through a pipe line, due to which we do not have an open channel.</p> <p>The treated and untreated effluent is also monitored manually by our Environment Monitoring Cell lab on monthly basis in addition to the continuous online monitoring system. pH, Ammonical nitrogen, Phosphate as P, Fluoride, Arsenic, Nitrate nitrogen, Oil and grease are monitored manually every month.</p> <p>Effluent samples at the inlet and outlet are analyzed for all the stipulated parameter including arsenic by CPCB empanelled laboratory once in every six months. (Annexure I)</p>
10	The project authorities should change over from wetcoke system to any other system where arsenic is not used in the scrubbing solution. During such time as wetcoke system is	<p>From July 1998 onwards glycine is used as the scrubbing solution instead of arsenic and hence there is no generation of arsenic bearing sludge.</p> <p>As per supreme court monitoring committee the entire Arsenic bearing waste available (115.70MT) has been stabilized, solidified and encapsulated in</p>

	continuing, adequate measures must be adopted to fully control arsenical effluent discharge and sludge disposal.	a lined concrete pit.																				
11	A green belt must be deveioped within the battery limits of the SPIC	<p>Tree plantation has been done covering almost all the vacant areas in and around the plant and township.</p> <table><tr><td>Area</td><td>SPIC</td><td>Greenstar</td><td>Township</td><td>Combined</td></tr><tr><td>Total area (Hectares)</td><td>47.11</td><td>56.43</td><td>118.723</td><td>222.113</td></tr><tr><td>Greenbelt Area (Hectares)</td><td>19.14</td><td>19.6</td><td>103.648</td><td>139.228</td></tr><tr><td>% Greenbelt area</td><td>40.62%</td><td>34.73%</td><td>87.30%</td><td>62.68%</td></tr></table> <p>Multi species saplings have been planted and are maintained. Every year during Worid Environment Day plantation drive is being organized to develop green belt.</p>	Area	SPIC	Greenstar	Township	Combined	Total area (Hectares)	47.11	56.43	118.723	222.113	Greenbelt Area (Hectares)	19.14	19.6	103.648	139.228	% Greenbelt area	40.62%	34.73%	87.30%	62.68%
Area	SPIC	Greenstar	Township	Combined																		
Total area (Hectares)	47.11	56.43	118.723	222.113																		
Greenbelt Area (Hectares)	19.14	19.6	103.648	139.228																		
% Greenbelt area	40.62%	34.73%	87.30%	62.68%																		
12	All monitoring reports must be sent to the State Pollution Control Board and this ministry regularly without fail.	All monitoring Reports are being sent to Tamilnadu Pollution Control Board once in a month and Quarterly Reports are being sent to Central Pollution Control Board and Half yearly monitoring reports are regularly sent to MoEF, RO.																				
13	The ministry reserves the right to change the above stipulations or impose any additional condition(s) to protect the environment, if considered necessary at any time.	No additional conditions are stipulated.																				

Date: 01.06.2025

Ref: S&E/E-8B2/25

The Director (S)

Ministry of Environment, Forest & Climate Change

Additional Office Block for GPOA, 1st Floor

Shastri Bhavan ,Haddows Road,

Nungambakkam,

Chennai – 600 034.

Sub: Half Yearly Compliance Status Report for Environmental Clearance M/S.SPIC Limited – Reg.

Ref: 1) F. No. J – 11011 / 171 / 2007 – IA II (I) Dated: March 5, 2008
2) No J -11011/171/2007-IA II (I) dated May 20, 2019

Dear Sir,

With reference to the above Environmental Clearances, we are herewith submitting the Compliance Status Report (Half yearly compliance report) for the period October 2024 to March 2025.

Thanking you,

Yours faithfully,

For “M/s Southern Petrochemical Industries Corporation Limited”

E. Balu

E. Balu

Whole Time Director

Enclosure:

1. Half Yearly Compliance Report
2. Half yearly monitoring report

CC: The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Tuticorin.

Southern Petrochemical Industries Corporation Limited
(CIN: L11101TN1969PLC005778)

Factory: SPIC Nagar, Muthiahpuram Post, Tuticorin 628 005 Tamilnadu, India
Phone : +91 (0461) 2355401 | Email: spiccorp@spic.co.in | www.spic.in

ENVIRONMENTAL CLEARANCE FOR ENHANCED PRODUCTION AT SPIC, TUTICORINF.No. J-11011/171/2007- IA II (I) Dated : March 5, 2008Half Yearly Compliance Status Report

S.No.	SPECIFIC CONDITIONS	COMPLIANCE STATUS
1	There shall be no addition of 'Pollution Load' due to the expansion. The unit shall shift to Natural Gas as fuel within next three years.	<p>There is no addition in the 'Pollution Load' due to enhanced production as per the study report of IIT professor.</p> <p>The following actions were taken</p> <ol style="list-style-type: none"> Environmental clearance was obtained from MoEF for the changeover of feedstock from Naphtha to mixed feed stock (Naphtha and Natural gas) on 28.03.2017. We have obtained consent to operate for Natural gas conversion vide Consent Order No. 2007231068959 for Air Act and Consent Order No.. 1906127778730 for Water Act Dated: 26/05/2020 from Tamilnadu Pollution control Board. We have started receiving natural gas from Ramanathapuram area through IOCL on 13th March 2021 and NG is being used in our Ammonia plant.
2	The gaseous emission [SO ₂ , NO _x , NH ₃ , and Urea Dust & Fluoride] and particulate matter from various process units shall conform to the prescribed norms by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. The stack height shall be as per the CPCB guidelines. In the event of failure of pollution control system[s] adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Further, the company shall interlock the production system with the pollution control devices.	<p>The gaseous emissions (SO₂, NO_x, NH₃ and Urea Dust & Fluoride) and particular matter from various process units are monitored on monthly basis, and the emission levels are within limits.</p> <p>The unit will be put off in the event of failure of pollution control system and we will restart only after rectifying the control measures to achieve the desired efficiency. The stack height is as per CPCB guidelines. Interlocking system is provided in the pollution control devices.</p> <p>We have taken the following measures:-</p> <ol style="list-style-type: none"> Reformer burners 90 numbers were replaced with low NO_x burners.

		<p>2. We have been using Natural Gas in ammonia plant which resulted in substantial reduction in Sox and NOx from reformer.</p> <p>3. To reduce Ammonia and urea dust in Prilling tower, spray water system is arranged.</p>
3	The limits for various pollutants should be within the prescribed limits. Set of dry and wet cyclones along with a stack shall be provided. The total Particulate emission from all the plants shall be within 50 mg/Nm ³ .	We have provided two sets of dry cyclone and one set of wet cyclone with stacks to limit the pollutant within 50 mg/Nm ³ .
4	SO ₂ emission level shall be 2 kg/T of the 100% H ₂ SO ₄ produced and Acid Mist concentration shall be within 10 mg/nm ³ . Monitoring of Prilling Tower shall be carried out as per the CPCB Guidelines. Recovered Hydrofluoro Silicic Acid from the Fluorine recovery unit shall be reused in the process.	<p>The SO₂ emissions from Sulphuric acid plant stack is below 1Kg/T of H₂SO₄ produced and acid mist concentration is within 10 mg/nm³. Sulphuric acid plant converter catalyst has been renewed at a cost of Rs.4.4 crores, which helped achieve less than 1.0 Kg/T of SO₂ emission.</p> <p>Online analyzers for particulate matter and ammonia have been installed in urea prilling tower and the real time data are connected to TNPCB and CPCB.</p> <p>Hydro-fluorosilicic acid is recovered by operating the fluorine recovery unit and used for manufacturing of Aluminum Fluoride.</p> <p>(Units – Sulphuric acid plant and ALF₃ are now with M/s. Greenstar Fertilizers)</p>
5	Regular monitoring of ambient air quality for SPM, RPM, SO ₂ , NO _x , NH ₃ , and Urea Dust & Fluoride shall be carried out. The location of existing ambient air quality monitoring stations shall be reviewed in consultation with the State Pollution Control Board and additional stations shall be set up, if required. It shall be ensured that stations are in the downwind directions as well as where maximum ground level concentration are anticipated.	<p>Ambient Air Quality monitoring is being carried out regularly for PM₁₀, PM_{2.5}, SO₂, NO_x, NH₃, Urea Dust and Fluoride by their Environment monitoring cell manually twice a week at 9 locations, in which 5 locations are located inside the factory premises and 4 are outside the factory premises.</p> <p>The location of existing ambient air quality monitoring stations were set up in consultation with TNPCB and the predominant downwind direction as well as where maximum ground level concentrations are anticipated.</p> <p>in addition to this Continuous online ambient Air Quality Monitoring Stations are provided one each in M/s SPIC and M/s</p>

		<p>Greenstar, and the data PM 10, PM 2.5, SO₂, NH₃, and NO, NO₂ Nox, wind direction, wind speed, RH and temperature are transferred to Care Air Centre, TNPCB Chennai.</p> <p>Ambient air quality is monitored on bi Annual basis (Annexure I) by CBCB empaneled laboratory as per NAAQ standards.</p>
6	<p>Fugitive emissions in the bagging plant shall be controlled through two wet de-dusting systems. Urea dust laden air from various dust emission points will be sucked through and sent to the dust chambers and scrubbers. The scrubber liquor will be sent for urea recovery system and urea plant. Cyclone separators/Bag Houses will be provided at transfer points for controlling urea dust. Dust collected at these points will be reprocessed in the urea plant.</p>	<p>Urea from plant is directly sent to Urea Bagging plant for bagging. It is transported through rubber belt soft conveyors. Only one transfer point is provided.</p> <p>Closed SS duct is provided in transfer points to avoid fugitive emissions.</p> <p>Electronic Packer scale weighers are provided which eliminates manual handling and avoid fugitive emission.</p> <p>Urea dust laden air from various dust emission points are sucked through and sent to the dust chambers and scrubbers. The scrubber liquor is sent for urea recovery system of urea plant. Cyclone separators are provided at transfer points for controlling urea dust. Dust collected at these points are collected and reprocessed in the urea plant.</p>
7	<p>The fugitive emissions in the work zone environment, product, and raw material storage area shall be regularly monitored as per the guidelines of CPCB and data shall be submitted to the concerned authorities. The fugitive emissions shall be controlled and conform to the limits prescribed by the CPCB in future.</p>	<p>Adequate measures like routine maintenance, preventive maintenance of equipment etc. are taken to control fugitive emissions in the work zone environment, product raw material storage area.</p> <p>Regular monitoring of fugitive emission as per the guidelines of CPCB is carried out and data is submitted to the concerned authorities. The fugitive emission confirms to the limits prescribed by the CPCB.</p>
8	<p>There shall be no increase in the water consumption and waste water generation. Efforts shall be made for water conservation to achieve water consumption less than 8m³/ton of urea produced. All discharge of waste water shall be through the Marine outflow system. No effluent arising from the process plants and associated facilities shall be discharged to the storm water drain. The quality of storm water shall be regularly monitored.</p>	<p>There is no increase in water consumption and waste water generation. We have reduced water consumption by adopting various conservation measures and the present water consumption for Urea is less than 8 m³ per ton of urea produced.</p> <p>The effluent is treated in integrated effluent treatment plant. Some portion of the treated effluent is discharged in to sea occasionally. Quality of Storm water is regularly monitored.</p>

9	Regular monitoring of ground water by installing piezometric wells around the guard pond and sludge disposal sites for all relevant parameters including pH, fluoride and ARSENIC shall be periodically monitored and report shall be submitted to the concerned RO of the Ministry, CPCB and State Pollution Control Board. Adequate number of influent and effluent quality monitoring stations shall be set up in consultation with the State Pollution Control Board.	Ground water quality is monitored at 19 locations by our Environment Monitoring Cell on monthly basis. All the stipulated parameters are monitored. 4 Piezometric wells are located around the arsenic encapsulation and 4 Piezometric wells are provided around chromium encapsulation locations. Parameters including pH, fluoride and arsenic are periodically monitored and the report is submitted to the RO of the Ministry, CPCB and State Pollution Control Board.
10	2.5 TPA of Sulphur Sludge, 14m ³ /yr of Spent Nickel Catalyst, 3m ³ /yr of Spent Co, Mo Spent Catalyst, 20m ³ /yr of Spent Iron Catalyst, 4m ³ /yr of Spent ZnO Catalyst & 5m ³ /yr V ₂ O ₅ catalyst and 250 Kg/d of Calcium Carbonate sludge shall be sent to the Secured Landfill site within the premises. 30 Kl/yr of Used oil shall be stored in leak proof steel drums for sale to registered recyclers and 700 Used batteries shall be sold to authorized reprocesses.	The sulphur sludge is used as filler material in DAP Plant. Calcium carbonate sludge is completely reused (in house) as filler material in DAP plant. (Units are now with M/s. Greenstar Fertilizers) Spent nickel catalyst, and spent ZnO catalyst of M/s SPIC were sent to Authorized HW Recyclers – Rajkob Industries, Maharashtra. Spent Co, Mo and spent iron catalyst of M/s SPIC were sent to Re Sustainability Industrial waste management Solutions Ltd. V ₂ O ₅ catalyst of M/s Greenstar fertilizers Ltd, is sent to Re Sustainability industrial waste management Solutions Ltd. Used oil is stored and disposed to authorized recyclers. Used batteries are given to the approved recyclers.
11	All safety precautions, as submitted to Ministry shall be installed and undertaken. Adequate protection measures for handling of Ammonia vapours in case of process upset condition shall be undertaken. Safety valve exhaust and drains shall be connected to a separate close header from which Ammonia vapours shall be vented from vent stack after diluting the stream.	All safety precautions as submitted to Ministry are implemented. Adequate protection measures for handling of Ammonia vapors in case of process upset condition are undertaken. Safety valves' exhaust and drains are connected to a separate closed header from which Ammonia vapor is vented from vent stack after diluting the stream.
12	The project authorities shall strictly comply with the rules and regulations under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as	All the rules and regulation under MSIHC Rules 1989 are being followed. On Site Emergency drills are being carried out as per approved plan. We have obtained separate

	amended in October 1994 and January 2000 and Hazardous Wastes [Management and Handling] Rules, 2003 along with Emergency Preparedness Rules. Authorization from the State Pollution Control Board must be obtained for collection / treatment / storage / disposal of hazardous wastes, if any.	authorization for M/s SPIC and M/s Greenstar Fertilizers Limited.
13	The company shall strictly follow all the recommendations mentioned in the Charter on Corporate Responsibility for Environmental Protection [CREP].	<p>We have implemented CREP recommendations</p> <ul style="list-style-type: none"> ✓ Water consumption of the unit per MT of Urea produced (100 % Natural Gas) is less than 8 m³/MT. ✓ The unit has adopted glycine based technology for absorption system in Ammonia plant in June 1998. ✓ Cooling water systems were switched over to non-Chromate based treatment programme in 1998. ✓ There is no process effluent in urea plant as everything is recycled back to the process. ✓ The nitrogenous fertilizer plant effluent mainly the cooling tower blow down is collected in effluent sumps and then sent to integrated effluent treatment plant for treatment ✓ No effluent is discharged into storm water drain. ✓ The storm water quality is monitored during the time of monsoon. ✓ Urea Prilling tower is based on forced draft system. The air pollution control equipment have been installed to reduce the concentration of pollutants. ✓ In M/s. Greenstar Fertilizers Limited phosphoric acid plant, four stage off gas recovery system has been installed in addition to turbulent contact absorber (TCA - 3) for scrubbing of fluoride present in emission gases The total fluoride concentration at the exit of TCA -3

		<p>and HH Off gas stack is maintained below stipulated standards.</p> <p>✓ Tail gas scrubber is provided in sulphuric acid plant at a cost of 80 lakhs.</p> <p>✓ Gypsum is disposed to cement manufacturing units and is also utilized in agriculture as a soil conditioner.</p> <p>✓ The spent catalysts are collected in mild steel drum and disposed to Re Sustainability Industrial waste management Solutions Ltd or to authorized recyclers</p>								
14	The company shall install rainwater harvesting systems from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	We have provided Rain water harvesting system for storm water collection as well as for roof top collection to recharge the ground water.								
15.	33% of the total land area shall be developed as green belt in consultation with DFO. The Green Belt shall be as per the CPCB Guidelines.	<p>We have taken up plantations within the project sites and the colony areas by covering more than 33 % of the total land area. The detailed are given below.</p> <table><tr><td>Area</td><td>SPIC</td></tr><tr><td>Total area (Hectares)</td><td>47.11</td></tr><tr><td>Greenbelt Area (Hectares)</td><td>19.14</td></tr><tr><td>% Greenbelt area</td><td>40.62%</td></tr></table>	Area	SPIC	Total area (Hectares)	47.11	Greenbelt Area (Hectares)	19.14	% Greenbelt area	40.62%
Area	SPIC									
Total area (Hectares)	47.11									
Greenbelt Area (Hectares)	19.14									
% Greenbelt area	40.62%									

B) General Conditions:

S.NO	GENERAL CONDITIONS	COMPLIANCE STATUS
1	The project authorities shall strictly adhere to the stipulations made by the state pollution control board.	All the stipulations made by the state Pollution Control Board are strictly adhered.
2	No further expansion or modification in the plant shall be carried out without prior approval of the MoEF.	<p>We ensure No further expansion or modification in the plant was carried out without prior approval of the MoEF.</p> <p>We have proposed for a Modernization of Urea manufacturing unit for the increase in production of Urea and have</p>

		obtained NIPL certificate and CTE via consent order no. 2506264039024 dated 10/03/2025.
3	The Project proponent shall also comply with all the Environmental protection measures and Safe guards recommended in the EIA / EMP report.	We have complied with all the Environmental protection measures and safe guards recommended in the EIA / EMP.
4	Industrial waste water shall be properly collected and treated so as to conform to the standards prescribed under the EP Act 1986 for Marine discharge norms.	Cooling tower blow down water is collected and treated in Integrated Effluent Treatment Plant and reused in M/s Greenstar Fertilizers Limited and a small portion is discharged into sea after confirming its quality. The treated and untreated effluent is also monitored by our Environment Monitoring Cell on monthly basis. In addition to this continuous online effluent monitoring system also has been installed for pH, Ammonical nitrogen, TSS and flow and real time data is being uploaded on the web site of TNPCB and CPCB. The treated effluent is also analyzed by CPCB empanelled laboratory on bi Annual basis and all the parameters area found within the stipulated norms.(Annexure I)
5	The overall noise level in and around the plant area shall be kept well within the standard by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generations	Noise level is monitored at 4 locations along the factory boundary at day and night time. The noise levels are within limit. We have provided noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generations.
6	Proper Housekeeping and adequate occupational health programmes shall be carried out and records shall be maintained for at least 30 – 40 years. The programmes shall include lung function and sputum test, besides the regular tests, once in 6 months, sufficient preventive measures shall be adapted to avoid direct exposure to dust etc.,	We are maintaining good housekeeping. We have an Occupational Health (OHC) Centre with a full time doctor and supporting staff. OH tests including lung function test, sputum tests, audiometry and regular tests are carried out for all employees as per the Factory's Act and records are maintained. Preventive measures are adopted to avoid direct exposure.
7	A separate environmental management cell	A separate environmental management cell equipped with full-fledged

	equipped with full-fledged laboratory facilities shall be set up under the control of a senior executive.	laboratory facilities is available. The Environment Management Cell is having 4 Environment engineers and Lab chemists and they are reporting to Head of Safety and Environment, who in turn is reporting to the Top Management.
8	Adequate funds shall be ear marked to meet the capital cost and recurring cost per annum for the Environmental protection measures. The amount so earmarked shall be used judiciously to implement the conditions stipulated by the MoEF as well as the state Government. The funds so provided shall not be diverted for any other purpose.	<p>We have allocated adequate funds to implement the conditions stipulated by the Ministry of Environment and forest as well as the State government along with the implementation schedule for all the conditions stipulated. The funds are not diverted for other Purpose.</p> <p>Expenditure for environmental protection measures includes,</p> <ul style="list-style-type: none"> a) Flameproof AAQMS Apparatus for tank farm area at the cost of 2.0 lakhs. b) Bio Assay study was carried out at the exit of IETP – Rs 40,000 c) Revamping of AAQ monitoring station with new analyzers to measure additional parameters and erection of new display board and uploading of the data to Care Air Centre, TNPCB, Chennai at a cost of Rs. 55 Lakhs. d) IETP online analyzer was installed at the cost of Rs.10 lakhs and TSS analyzer is installed at the cost of 2.5 lakhs. Old AN analyser was replaced by New AN analyser at the cost of Rs.5.785 Lakhs. e) Online continuous emission monitoring has been installed in Reformer stack SO2 analyzer at a cost of Rs.30 lakhs and NOx analyzer at the cost of 1 lakhs. SOx and NOx analyzers have been installed at a cost of 90 Lakhs. f) They have installed online monitoring in urea prilling tower for ammonia and dust at a cost of

		<p>Rs.40 lakhs</p> <p>g) Online SO₂ and NO_x Analysers for Boilers stack has been installed at the cost of Rs. 17.7 lakhs.</p> <p>h) They have installed online continuous emission monitoring system for GT – HRSG stack for monitoring of SO₂ and Nox analyzer at a cost of 80 lakhs</p> <p>i) Electromagnetic flow meter was installed at Sea disposal line in IETP at a cost of Rs. 1.6 lakhs.</p> <p>j) We have also installed online effluent monitoring system at STP for the parameters pH, TSS, BOD and COD at a cost of Rs 23 Lakhs</p> <p>k) Zenon lamp was fixed at Reformer analyzer at a cost of Rs. 1,15,000.</p> <p>l) In IETP AN Analyzer AN Electrode was replaced at the cost of Rs. 1.21 Lakhs.</p> <p>m) UV and Blue filter was fixed at reformer analyzer reformer analyzer at a cost of Rs. 59000.</p>
9	The company shall under take the welfare measures and the community development measures for the local people in the vicinity of the project area.	<p>We have undertaken many measures for improving the socio economic condition of the local people in the surrounding area.</p> <p>Have undertaken CER Activities in the areas, including community welfare measures in the project area for the overall improvement of the environment such as infrastructure for drinking water supply, sanitation, Health, Education, Skill development, Roads, cross drains, electrification including solar power, solid waste management facilities,</p>

		<p>Scientific supports Awareness to local farmers to increase yield of crop and fodder, Rain water harvesting, soil moisture conservation works, Avenue plantation in community area.</p> <p>The details of community welfare measures undertaken for the period October 2024 to March 2025 as below:</p> <ul style="list-style-type: none"> • Dredging of Korampallam pond, Tuticorin at a cost of Rs. 335000 • Building renovation in KTK school at a cost of Rs 600000 • Building renovation in St. Antony's Matriculation School at a cost of Rs. 300000 • Wheel chair donation to Railway station Tuticorin at a cost of Rs. 7000 • Provision distribution to Avvai Ashram tirunelveli • Contribution towards bed and inverter Donation to orphanage, Tuticorin - Rs. 130000 • Contribution towards organised Adults Free Heart camp -Rs. 50000 • Contribution towards Golden Heart camp for children - Rs. 57000 • Contribution towards Artificial hand to Miss. Bala priya - Rs. 16500 • Contribution towards sun shade to street vendor- Rs. 50000 • contribution towards Club Calliper donation - Rs . 28000 • contribution towards Grocery materials for temple festival- Rs. 10000 • Alcohol breath tester was contributed to ASP office - Rs. 236000 • Expenses towards Women day celebration -Rs. 40000
--	--	--

		<ul style="list-style-type: none"> • Expenses towards Drinking water facility at Thangammal Puram Govt. Hr.Sec School – 57000 • Expenses towards Blood Donation Camp Grace - Rs. 7500.
10	Concerned regional office of this Ministry state pollution control Board / CPCB shall monitor the implementation of the stipulated conditions. Six monthly compliance status report and monitoring data along with statistical interpretation shall be submitted to them regularly and shall be placed on the web site of the company	<p>Compliance status report is being submitted regularly by the unit to MoEF, RO once in six months and for others on monthly basis. Compliance status report is uploaded on the Company's Website.</p> <p>https://www.spic.in/csr/</p>
11	The project proponent should advertise in at least two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned, informing that the project has been accorded environmental clearance by the ministry and copies of the clearance letter are available with the SPCB/ Committee may also be seen at the website of the ministry and forest at http://enviro.nic.in . The advertisement should be made within seven days from the date of issue of the clearance letter and a copy of the same should be forwarded to the concerned regional office of the ministry.	Newspaper advertisements were given in two local newspaper and copies of the same were submitted to MoEF, RO.
12	The project authorities shall inform the regional office as well as the ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Information was provided and Project was completed.

SOUTHERN PETROCHEMICALS INDUSTRIES CORPORATION LIMITED
SPIC NAGAR, TUTICORIN – 628 005

Sub: Expansion of Urea and DAP at Southern Petrochemical Fertilizer Complex, Tuticorin, Tamil Nadu – Amendment/ Bifurcation of Environmental Clearance - Reg

Ref: No J -11011/171/2007-IA II (I) dated May 20, 2019

CONDITIONS

S.NO	SPECIFIC CONDITION	COMPLIANCE STATUS
5	<p>Based on recommendation of the EAC, the ministry of Environment Forest and climate change hereby accords approval to the amendment/ bifurcation of the environment clearance dated 5th march 2008, as stated in para 3 above, with additional terms and conditions as under:-</p> <p>a) Total Fresh water requirement shall not exceed 15178 cum/day to be met through Tamilnadu water supply and Drainage board from Thamiraparani river. Permission in this regard shall be obtained from the concerned regulatory authority.</p>	<p>The present water requirement is 15178 m3/day and it is drawn from Tamiraparani river through TWAD. Permission has been obtained from TWAD.</p>
5.b)	<p>Industrial effluent of 2160 cum/day shall be treated in ETP and treated effluent of 1344 cum/day shall be provided to M/s Greenstar Fertilizers Limited. Remaining treated effluent of 720 cum/day for disposal through marine outfall system shall conform to standards prescribed under the Environment (Protection) Rules, 1986.</p>	<p>The industrial effluent is within 2160 m3/day. We are providing 1455 cum/day of treated effluent to M/s Greenstar fertilizers Limited, as per the latest SPIC CTO for Expansion .Remaining treated effluent if any is disposed occasionally through marine out fall system conforming to the standards prescribed under the Environment (protection) Rules, 1986.</p>
6.	<p>All the other terms and conditions stipulated in the environmental clearance dated 5th March 2008 remain unchanged.</p>	<p>This is a communication order informing the bifurcation of Environmental Clearance dated 5th March 2008 between M/s Greenstar Fertilizers Ltd. and M/s SPIC Ltd. And we have complied with all the conditions in the EC dated 05th March, 2008.</p>

Ref: S&E/E-8B2/25

Date: 01.06.2025

The Director (S)
Ministry of Environment, Forest & Climate Change
Additional Office Block for GPOA, 1st Floor
Shastri Bhavan ,Haddows Road,
Nungambakkam,
Chennai – 600 034.

Sub Half Yearly Compliance Status Report for Environmental Clearance M/s.SPIC Limited – Reg.

Ref: J -11011/124/2015-IA II (I) dated 28.03.2017

Dear Sir,

With reference to the above Environmental Clearances, we are herewith submitting the Compliance Status Report (Half yearly compliance report) for the period October 2024 to March 2025.

Thanking you,

Yours faithfully,

For “M/s Southern Petrochemical Industries Corporation Limited”



E.Balu,

Whole Time Director

Enclosure:

1. Half Yearly Compliance Report
2. Half yearly monitoring report

CC: i) Director, Ministry of Environment and Forest,
Regional Office,
Chennai.
ii) District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Tuticorin.

Southern Petrochemical Industries Corporation Limited
(CIN: L11101TN1969PLC005778)

Factory: SPIC Nagar, Muthiahpuram Post, Tuticorin 628 005 Tamiinadu, India
Phone : +91 (0461) 2355401 | Email: spiccorp@spic.co.in | www.spic.in

SOUTHERN PETROCHEMICALS INDUSTRIES CORPORATION LIMITED
SPIC NAGAR, TUTICORIN – 628 005

Sub: Changeover of feedstock and fuel from Naphtha to mixed feed stock Environmental Clearance-Half Yearly Compliance Status Report

Ref: No J -11011/124/2015-IA II (I) dated 28.03.2017

A.SPECIFIC CONDITIONS

S.NO	SPECIFIC CONDITION	COMPLIANCE STATUS
1	All the other conditions in the environmental clearance letter no. J-1101/171/2007-IA.II (I) dated 5 th March, 2008 remains the same. The PP shall comply with all the other conditions in the EC dated 05 th March, 2008.	We have complied with all the conditions in the EC dated 05 th March, 2008. Separate compliance of the EC date 5 th March 2008 is attached.

Ref: S&E/E-8B2/25

Date: 01.06.2025

The Director (S)
Ministry of Environment, Forest & Climate Change
Additional Office Block for GPOA, 1st Floor
Shastri Bhavan ,Haddows Road,
Nungambakkam,
Chennai – 600 006.

Sub: Half Yearly Compliance Status Report for Environmental Clearance M/S.SPIC Limited – Reg.

Ref: F. No. J-11011/171/2007-IA-II (I) dated January 7, 2020

Dear Sir,

With reference to the above Environmental Clearances, we are herewith submitting the Compliance Status Report (Half yearly compliance report) for the period ending – **October 24 to March 2025**.

Thanking you,

Yours faithfully,

For “M/s Southern Petrochemical Industries Corporation Limited”



E.Balu,

Whole Time Director

Enclosure:

1. Half Yearly Compliance Report
2. Half yearly monitoring report

Copy

(i) The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Tuticorin.

Southern Petrochemical Industries Corporation Limited
(CIN: L11101TN1969PLC005778)

Factory: SPIC Nagar, Muthiahpuram Post, Tuticorin 628 005 Tamilnadu, India
Phone : +91 (0461) 2355401 | Email: spiccorp@spic.co.in | www.spic.in

SOUTHERN PETROCHEMICALS INDUSTRIES CORPORATION LIMITED
SPIC NAGAR, TUTICORIN – 628 005

Sub: Modernization cum expansion of fertilizer manufacturing unit by M/s SPIC -
Environmental Clearance - Reg

Ref: No J -11011/171/2007-IA II (I) dated January 7, 2020

S.NO	TERMS AND CONDITIONS	COMPLIANCE STATUS
10.a.	Necessary Permission as Mandated under the water (Prevention and control of pollution) Act 1947 and the Air (Prevention and control of pollution) Act 1981 as applicable from time to time, shall be obtained from the state pollution control Board	We have obtained CTO for expansion under water (Prevention and control of pollution) Act 1947 vide consent order no: 2207241530259 dt: 21/04/2022 and under Air (Prevention and control of pollution) Act 1981 vide consent order no: 2207141530259 dt: 21/04/2022 from Tamiinadu Pollution control Board.
10.b	No additional effluent shall be generated under the proposed Modernization project. Treated effluent of 600 cum/day shall be discharged through existing marine outfall system after conforming the statutory standards. The Project Proponent shall achieve zero liquid discharge (ZLD) within five years of commissioning of expansion project.	There is no additional effluent generation under the modernization project. Treated effluent of 600 cum/day is discharged through the existing marine outfall system after confirming the statutory standards. We are in proposes of installing the ZLD plant, along with modernization proposal to achieve zero liquid discharge status.
10.c	Necessary authorization required under the hazardous and other wastes (Management and Trans-Boundary movement) rules 2016 shall be obtained and the provisions contained in the rules shall be strictly adhered.	We have a valid hazardous waste authorization vide authorization no. 23HFC51011949 dt. 14/06/2023 valid till 31/03/2028 . Provisions contained in the rules are being adhered.
10.d	The gaseous emissions (SO ₂ , NO _x , NH ₃ and HC and particulate matter from various process units shall conform to the norms prescribed by the CBCP/SPCB from time. At no time the emission levels shall go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack emission shall be monitored regularly	The gaseous emissions (SO ₂ , NO _x , NH ₃ and HC and particular matter from various process units on monthly basis and the emission levels are within limits. The unit will be put off in the event of failure of pollution control system and we will restart only after rectifying the control measures to achieve the desired efficiency. The stack height is as per CPCB guidelines. Stack emissions are monitored regularly.

10.e	To control source and the fugitive emission suitable pollution control devices shall be installed to meet the prescribed norms and /or the NAAQS The gaseous emission shall be dispersed through stack of adequate height as per CPCB/ SPCB guidelines. Fugitive emission shall be controlled by providing closed handling and conveying system.	We have installed suitable pollution control devices to control source and the fugitive emission to meet the prescribed norms of the NAAQS. The gaseous emission was dispersed through stack of adequate height as per CPCB/ SPCB guidelines. We are conducting Regular monitoring of fugitive emissions as per the guidelines of CPCB through NABL Lab.
10. f	Existing fresh water requirement Is 15178 cum/day which is met through Tamilnadu Water supply and drainage board. No additional water shall be required for the proposed modernization	The present water requirement of 15178 m ³ /day, is met through Tamil Nadu water supply and drainage Board vide letter dated 04.12.2006. Unit assures that no additional water is required.
10. g	Process effluent/any wastewater shall not be allowed to mix with storm water. The Storm water from the premises shall be collected and discharge through a separate conveyance system.	We have separate sewers for storm water and process effluent. The storm water from the premises is collected and discharged through a separate conveyance system.
10. h	Natural Gas shall be used as fuel in all the boilers.	We have started receiving Natural Gas from IOCL's Ramanathapuram – Thoothukudi Natural Gas Pipeline from 13 th March 2021 onwards. Natural Gas being used in boiler and fired heaters.
10.i	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc., flame arresters shall be provided on tank farm, and solvent transfer through pumps.	Ammonia is stored in sphere. Since unit has switched over to 100 % Natural Gas, the flammable storage tanks are not in operation at present. Flame arresters are also provided in flammable storage tanks.
10. j	The company shall strictly comply with the Rules and guidelines under Manufacture storage and import of Hazardous chemicals (MSIHC) Rules 1989 as amended time to time. All transportation of Hazardous chemical shall be as per the motor vehicle act 1989.	All the rules and regulations under MSIHC Rules 1989 are being followed. On Site Emergency drills are being carried out as per approved plan. Hazardous chemicals are transported in compliance with motor vehicle Act 1989.
10.k	The company shall under take waste minimization measures as below. i. More efficient use raw materials water and energy ii. Through an effective water management programme to reduce water consumption. iii. Use of automated filling in bagging section to minimize spillages.	We are following several waste minimization measures in our premises. We ensure to use raw materials, water and energy more efficiently. We shall follow water management programme to reduce water consumption. Automatic filling is being done in bagging section to minimize spillages.

10. i	The green belt of least 5-10 m width shall be developed in nearly 35% of the total project area, mainly along the plant periphery, in downward wind direction and along road sides etc. selection of plant species shall be as per the CBCP guidelines in consultation with state Forest Department.	<p>The greenbelt were developed in more than 35 % of the total project area which includes plantation made along the periphery. The details of green belt include.</p> <table><tr><td>Area</td><td>SPIC</td></tr><tr><td>Total area (Hectares)</td><td>47.11</td></tr><tr><td>Greenbelt Area (Hectares)</td><td>19.14</td></tr><tr><td>% Greenbelt area</td><td>40.62%</td></tr></table>	Area	SPIC	Total area (Hectares)	47.11	Greenbelt Area (Hectares)	19.14	% Greenbelt area	40.62%
Area	SPIC									
Total area (Hectares)	47.11									
Greenbelt Area (Hectares)	19.14									
% Greenbelt area	40.62%									
10.m	As committed Rs 10 crores shall be allocated towards corporate Environment responsibility (CER) item wise details along with time bound action plan shall be prepared and submitted to the ministry's regional Office.	The action plan in this regard has been submitted to the Regional office vide letter no. SE/E-8B2/22 dated 18.02.2022. We have spent Rs.25 crores for the installation of 22 MW floating solar power plant as renewable green energy towards our contribution to corporate Environmental responsibility. We have also spent Rs.1.5 crores towards the installation of 50Nm ³ /Hr Medical Oxygen unit.								
10.n	Safety and visual reality training shall be provided to employees	Safety and visual reality training has been provided to all employees through a systematic safety refresher training program.								
10.o	For the DG sets emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	We have provided stack height in conformity as per CPCB guidelines for DG sets and enclosures are provided to control noise pollution.								
10.p	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms	We have arrangements such as fire protection system and a trained fire crew for fighting fire, and arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting systems are as per the TAC Act and Factories Act.								
10.q	Occupational health surveillance of the workers shall be done on regular basis and records maintained as per the factories Act	Occupational Health surveillance is being carried out for employees on regular basis and records are maintained as per the Factories Act.								
10 r.	Continuous online 24*7 monitoring system for stack emission shall be installed for measurement of fuel gas discharge and the pollutions concentration and the data to be transmitted to the CPCB and SPCB server.	We have provided Online Continuous monitoring system in ammonia plant Reformer stack for SO ₂ and NO _x parameters, NH ₃ and PM in urea Prilling tower, SO ₂ and NO _x in Aux Boiler III stack								

	For online continuous monitoring effluent the unit shall install web camera with night vision capability and flow meters in the channel /drain carrying effluent within the premises.	and in GT/HRSG stack. The data is transmitted to the CPCB and TNPCB server. There is no channel/drain carrying effluent within the premises.
10.s	Process Safety and risk assessment studies shall be further carried out using advanced models and the mitigating measures shall be undertaken accordingly	We have carried out process Safety and risk assessment study by using DNV Phast models and the mitigating measures are undertaken.

S.NO	GENERAL CONDITION	COMPLIANCE STATUS
11	The Project proponent shall strictly comply the sector specific conditions as mentioned in the ministry office memorandum no. 22-34/2018- IA. III. Dated 9th august 2018 The said OM is available at the ministry website the grant of environment clearance is further subject to compliance of other generic conditions as under.	We shall comply with all the applicable conditions mentioned in the ministry office memorandum no. 22-34/2018- IA. III. Dated 9th August 2018.
11 (i).	The project authorities must strictly adhere to the stipulation made by the state pollution control board (SPCB) state Government and /or any other statutory authority.	We are adhering to the stipulation made by the state pollution control board (SPCB) state Government and /or any other statutory authority.
11 (ii).	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment forest and climate change. In case of deviation or alterations in the project proposal from those submitted to this ministry for clearance, a fresh reference shall be made to the ministry to assess the adequacy of conditions imposed and to add additional Environmental protection measures required if any.	We ensure that no further expansion or modification was carried out without prior approval of the MoEF/Board. We are in the process of modernization of urea prilling tower with natural draft and has obtained CTE for the same via consent order no. 2506264039024 dated 10/03/2025.

11 (iii).	The location of ambient air quality monitoring stations shall be decided in consultation with the state pollution control board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	We have provided ambient air quality stations in consultation with TNPCB in the predominant downwind direction and where maximum ground level concentrations are anticipated. In addition to that, Continuous Online Ambient Air Quality monitoring stations are provided one each in M/s SPIC and M/s Greenstar and the data of PM10, PM2.5, SO ₂ , NH ₃ , and NO, NO ₂ , NO _x , wind direction, wind speed, RH and temperature are transferred to Care Air Centre, TNPCB Chennai.
11 (iv)	The Nation Ambient air quality Emission Standards by the ministry vide G.S.R No. 826(E) dated 16th November, 2009 shall be complied with.	Ambient Air Quality Monitoring is being carried out by our Environment Monitoring Cell at 9 locations manually. In addition to this Continuous Ambient Air Quality monitoring stations are also available and the parameters are maintained with in norms. Ambient air quality is monitored on bi Annual basis by CBCB empanelled laboratory as per NAAQ standard. (Annexure I)
11 (v)	The overall noise levels in and around the plant area shall be kept will within the standards by providing noise control measures including acoustic hoods, silencers enclosures etc. an all sources of noise generation. The ambient noise level shall conform to the standards prescribed under environment (protection) Act 1986 rules 1989 viz. 75dBA (day time) and 70dBA (night time)	Noise level is monitored at 4 locations along the factory boundary at day and night time. The noise levels are within limit. We have provided noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generations.
11(vi)	The company shall harvest rain water from the roof tops of the buildings to recharge ground water and to utilize the same for different industrial operations within the plant.	We have provided Rain water harvesting system for storm water collection as well as for roof top collection to recharge the ground water.
11 (vii)	Training shall be imparted to all employees on Safety and health aspects of chemical handling. Pre-employment and routine periodical medical examination for all employees shall be under taken on regular basis. Training to all employees on handling of chemicals shall be imparted.	We are imparting training on Safety and health aspects of chemical handling. Pre-employment and routine periodical medical examination for all is under taken on regular basis. Training is regularly given to all employees every month on handling of chemicals through safety refresher trainings, pep talks and on the spot trainings.

11 (viii)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the ministry. All the recommendations made in the EIA/EMP in respect of environmental management risk mitigation measures and public hearing shall be implemented.	We shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the ministry. We ensure fulfilling all the recommendations made in the EIA/EMP in respect of environmental management risk mitigation measures.
11(ix)	The company shall undertake all measures for improving socio-economic conditions of the surrounding area CSR activities shall be undertaken by involving local villagers administration and other stake holders. Also eco-developmental measures shall be undertaken for overall improvement of the environment.	<p>We have undertaken many measures for improving the socio economic condition of the local people in the surrounding area. Unit has undertaken CER Activities in the areas, including community welfare measures in the project area for the overall improvement of the environment such as infrastructure for drinking water supply, sanitation, Health, Education, Skill development, Roads, cross drains, electrification including solar power, solid waste management facilities, Scientific supports Awareness to local farmers to increase yield of crop and fodder, Rain water harvesting, soil moisture conservation works, Avenue plantation in community area.</p> <p>The details of community welfare measures undertaken for the period October 2024 to March 2025 as below:</p> <ul style="list-style-type: none"> • Dredging of Korampallam pond, Tuticorin at a cost of Rs. 335000 • Building renovation in KTK school at a cost of Rs 600000 • Building renovation in St. Antony's Matriculation School at a cost of Rs. 300000 • Wheel chair donation to Railway station Tuticorin at a cost of Rs. 7000 • Provision distribution to Avvai Ashram tirunelveli • Contribution towards bed and inverter Donation to orphanage, Tuticorin - Rs. 130000 • Contribution towards organised Adults

		<p>Free Heart camp -Rs. 50000</p> <ul style="list-style-type: none"> • Contribution towards Golden Heart camp for children - Rs. 57000 • Contribution towards Artificial hand to Miss. Bala piriya - Rs. 16500 • Contribution towards sun shade to street vendor- Rs. 50000 • contribution towards Club Calliper donation - Rs . 28000 • contribution towards Grocery materials for temple festival- Rs. 10000 • Alcohol breath tester was contributed to ASP office - Rs. 236000 • Expenses towards Women day celebration -Rs. 40000 • Expenses towards Drinking water facility at Thangammal Puram Govt. Hr.Sec School – 57000 • Expenses towards Blood Donation Camp Grace - Rs. 7500.
11(x)	A separate Environmental Management cell equipped with full-fledged laboratory facilities shall be set up to carry out the environmental management and monitoring functions.	A separate environmental management cell having qualified Environmental Engineer specialization in the project area and equipped with full-fledged laboratory facilities to carry out the Environmental management and monitoring functions.
11(xi)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the ministry of Environment forest and climate changes well as the state Government along with the implementation schedule for all conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	<p>We have allocated adequate funds to implement the conditions stipulated by the Ministry of Environment and forest as well as the State government along with the implementation schedule for all the conditions stipulated. The funds are not diverted for other purpose.</p> <p>Expenditures for Environmental protection measures include</p> <ul style="list-style-type: none"> a) Flameproof AAQMS Apparatus for tank farm area at the cost of 2.0 lakhs. b) Bio Assay study was carried out at the exit of IETP – Rs 40,000 c) CAAQ monitoring station was installed a cost of Rs. 55 Lakhs, and data being

		<p>uploaded to Care Air Centre, TNPCB, Chennai</p> <p>d) IETP online analyzer was installed at the cost of Rs.10 lakhs and TSS analyzer is installed at the cost of 2.5 lakhs. Old AN analyser was replaced by New AN analyser at the cost of Rs.5.785 Lakhs.</p> <p>e) Online continuous emission monitoring SO2 analyzer at a cost of Rs.30 lakhs and NOx analyzer at the cost of 1 lakhs was installed in Reformer stack</p> <p>f) We have installed online monitoring in urea prilling tower for ammonia and PM at a cost of Rs.40 lakhs</p> <p>g) Online SO2 and NOx Analyzers for Boilers stack is being installed at the cost of Rs. 17.7 lakhs.</p> <p>h) Installed online continuous emission monitoring system for the parameters So2 and Nox in GT/HRSG stack at a cost of 80 lakhs.</p> <p>i) Electromagnetic flow meter was installed at Sea disposal line in IETP at a cost of Rs. 1.6 lakhs.</p> <p>j) installed online effluent monitoring system at STP for the parameters pH, TSS, BOD and COD at a cost of Rs 23 Lakhs</p> <p>k) Xenon lamp was fixed at Reformer analyser at a cost of Rs. 1,15,000.</p> <p>l) In IETP AN Analyzer AN Electrode was replaced at the cost of Rs. 1.21 Lakhs.</p> <p>m) UV and Blue filter was fixed at reformer analyzer reformer analyzer at a cost of Rs. 59000.</p>
--	--	---

11 (xii)	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, Zila parishad/municipal corporation, urban local body and the local NGO If any from whom suggestions/representations, if any were received while processing the proposal	A copy of the clearance letter was communicated to concerned Municipal corporation.
11 (xiii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored date (both in hard copies as well as by e-mail) to the respective zonal office of CPCB and SPCB. A copy of Environmental clearance and six monthly compliance status report shall be posted on the website of the company.	We ensure to submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored date (both in hard copies as well as by e-mail) to the respective zonal office of CPCB and SPCB. We ensure copy of Environmental clearance and six monthly compliance status report is posted on the website of the company.
11 (xiv)	The Environmental statement for each financial year ending 31st March in form V as is mandated shall be submitted to the concerned state pollution control board as prescribed under the Environment (protection) Rules, 1986 as amended subsequently shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to respective regional offices of MoEF & CC by e-mail.	We have submitted Environmental statement for the last financial year ending 31st March in form V and it has also been on the website of our company along with the status of compliance of environmental clearance conditions. It will be sent to respective regional offices of MoEF & CC.
11 (xv)	The project proponent shall inform the public that the project has accorded environmental clearance by the ministry and copies of the clearance letter are available with the SPCB/committee and may also be seen at website of the ministry at http://moef.nic . This shall be advertised with in seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned regional office of the ministry.	We have made advertisements in the local newspaper given in two local newspaper i.e. Dinamani and the Indian Express dated 10.08.2021. A copy of the same was forwarded to the Regional Office of the Ministry.

12.	The ministry reserves the right to stipulated additional conditions, if found necessary at subsequent stages and the projects proponent shall implement all the said conditions in a time bound manner. The ministry may revoke or suspend the environmental clearance if implementation of any of the above conditions is not found satisfactory	Noted. We assure to comply.
13.	Concealing factual date or submission of false/fabricated date and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (protection) Act 1986	Noted. We assures to comply.
14	Any appeal against this environmental clearance shall lie with the National Green Tribunal. If prepared within a period of 30days as prescribed under section16 of the National Green tribunal Act 2010.	Noted.
15	The above conditions will be enforced inter-alia under the provisions of the water Act (prevention & control of pollution) Act 1974 the Air (prevention & control of pollution) Act 1981. The Environment (protection) Act 1986, The Hazardous waste (Management, Handling and Transboundary movement) rules 2016 and the public liability insurance Act 1991 read with subsequent amendments therein.	Noted. We assure to comply.